


T. 1, R. 2 W. 1st Mer.



T. 2, R. 2 W. 1st Mer.

153	154	154	155	155	155
6	5	4	3	2	1
148	152	152	151	150	149
7	8	9	10	11	12
143	148	147	146	145	144
18	17	16	15	14	13
139	142	141	141	140	139
19	20	21	22	23	24
133	138	137	136	135	134
30	29	28	27	26	25
128	132	132	131	130	129
31	32	33	34	35	36
127	127	125	125	124	123

T. 1. R. 2. W. 1. Mer.

Township No. 1. Range No. 2. West 1. Mer.
Indiana—

North Boundary of T. 1 R. 2. W. of Mer.

1st Mile West from the N. East corner

- 5.00 East bank of Log-creek 100 lks. wide runs North
21.00 a Buck 35 ins. dia. - rich bottom land.
25.15 East bank of Log-creek 60 lks. wide, over a small
point 150 lks. wide
30.46 West bank of Log-creek
33.86 East side of Log-creek over a small point to
36.74 West bank, a rich bottom
68.75 Log-creek creek 60 lks. wide runs North
80.00 S. East corner of Sect. No. 142 Town 1. Range
2 West of the Meridian - from which a Buck
40 ins. dia. bears N 43° W 22 lks. & another Do.
10 " " " S 37° E 42 lks. dist.
This mile rich low bottom, land 1st rate, fit
for cultivation of Hemp, Corn &c. Timber
Sugar-tree, Elm, Buck, Ash, Hickory - very large
trees & but little under-brush.

1st Mile West

- 10.59 a Black Ash 18 ins. dia
37.37 a Poplar 40 ins. dia. - level rich land.
41.50 East End of a swamp 100 lks. wide - runs with
the course
48.25 West end of the swamp
80.00 A post corner of Sect. No. 2 & 3 Town 1. Range 2.
from which a Buck 7 ins. dia. bears N 15° 30' E
26 lks. dist. & another Buck 18 ins. dia. bears
North 25 lks. dist. This mile level & rich
Buck land, fit for cultivation of Hemp, Corn
& small grain of all kinds, no water courses.
Marked the trees by the plan. The water
being over the bottom on Log-creek. I proceeded South

continued

No 1

G. A. R. D. W. 1st Mer.3rd Mile West

- 16.50 an exceeding rich bottom, subject to be overflowed
 36.50 a Beech 10 ins. dia. on a narrow high neck or point 70 lbs. broad, same bottom
 40.40 Log-lick creek - East side 155 lbs. wide
 80.00 a post corner of Sect. No. 3 & 4 from which a Hackberry 20 ins. dia. bears N 53 W 28 i lbs - & a Beech of same diameter on East bank of the stream bears S 64 E 36 lbs - This post stands in the channel of a beautiful clear stream 50 lbs wide, with water sufficient for an overshoot mill rapid current runs West, the land first rate, much of it overflowed in high water by the Ohio (the upland much guttered & generally Beech) timber. Underbrush Spice wood

4th Mile West

- 37.50 Top of a very high hill one continued ascent to the top from the brook at the post
 39.11 a Sugar tree 6 ins. dia. on East side of the ridge large Ash, Oak, Beech Sugar-tree &c.
 80.00 a post corner of Sect. 4 & 5 Town. 1 - from which an Ash 24 ins. dia. bears N 32 E 3 lbs. & an Elm 8 ins. dia. bears S 5 W 19 lbs. dist - This mile one entire hill, 1st rate land, timber Ash, Oak, Beech, Sugar-tree &c. with luxuriant herbage Marked the trees by the plan - This post stands between 2 small water courses -

5th Mile West.

- 0.50 a small water course with a little water
 44.14 an Ash 6 ins. dia
 58.72 a Blue Ash 15 ins. dia
 80.00 a post corner of Sect. No. 5 & 6 Town 1 Range 2 from which a W. Oak 15 ins. dia. bears S 15 W 15 lbs -

Aan Ironwood 7 ins. dia. bears N 5° W 18 Mts. dist.
This mile 1st rate land. timbered as the preceding
with much Spruce—

5th Mile West

- 50.31 a Beech 16 ins. dia. on South side of a hill
59.00 East bank of Plumb-bick creek 169 Mts. wide
rapid current sufficient for an undershot mill
runs South.
80.00 a spot on East side of a tremendous hill, corner
of Towns 1 & 2 Range 2 & corner of Towns 1 & 2 Range
3 West of the Meridian. from which a Hickory
10 ins. dia. bears N 5° W 2 1/2 Mts. & a Sugar-tree 5 ins.
dia. bears N 8° E 5 Mts. This 1st rate land, large broken
ridges with deep gutters. Timber Ash, Oak, Elm,
Beech, Sugar-tree, Hickory &c.
Marked the trees by the plan

East Boundary of T. A. R. D. W. of Mer.
1st Mile South from the North East corner.

- 18.34 a Beech 26 ins. dia.
26.50 a large cane brake, all killed by the severe frosts
34.36 a Sugar tree 18 ins. dia.
42.00 a spot on the Bank of the Ohio. from which a
Sycamore 6 ins. dia. bears N 73° E 6 Mts. dist. &
another Sycamore 6 ins. dia. bears S 35° W 25 Mts—
From the Town corner the Land 1st rate of a
superior quality Timber Ash, Oak, Elm, Poplar,
Sugar-tree, Beech &c. no under-brush—
Marked by the plan May 1st 1799—

East Boundary of T. 2. R. 3. W. of Mer
1st Mile South from the North East corner

- 22.87 a stream 18 Mts. wide runs East. sufficient to turn
an overshot mill (at the foot of the hill where the
spot stands)

G. A. R. D. W. 1st Mer.

- 32.57 an Ironwood 5 ins. dia. East side of a large hill, rising from said stream
- 80.00 a post (on South side of the above mentioned hill) corner of Sect. No. 6 & 7 G. A. Range 2 from which an Ash 26 ins. dia. bears West 15 Mos. & a Buckeye 4 ins. dia. bears S 78 E 2 Mos. This mile hilly broken in some places with stones (on North side of the last hill) almost unfit for cultivation. Timber as the preceding, Under-brush generally Spice wood some brush vines
- May 10. 1799

2nd Mile South

- 4.13 a Stream 37 Mos. wide, meanders East
- 24.00 a Sugar-tree 8 ins. dia
- 49.00 an Ash 26 ins. dia. on South side of a hill
- 59.17 a Stream 8 Mos. wide runs East
- 66.9 North bank of Plum-creek 4.110 Mos. wide Swelled over the bank of the Ohio, runs West
- 75.83 1/2 North bank of Plum-creek 2.69 Mos. wide runs S 30 E
- 80.00 a post on the South side of a gutter corner of Sect. No. 7 & 18 Town 1 Range 2. from which a Sugar-tree 10 ins. dia. bears S 58 E & an Elm 8 ins. dia. bears N 48.30 E. This mile like the preceding hilly & rich. Timber Ash, Oak, Elm, Beech Sugar-tree &c. - marked the trees by the plan.

3rd Mile South

- 25.82 a post on the bank of the Ohio River between Sec. No. 13 Town 2 Range 3 & Section 18 Town 1. Range 2 from which a Sycamore 10 ins. dia. bears S 19 W 24 Mos. & an Elm 17 ins. dia. bears N 64 E 49 1/2 Mos. The land from the post to the River of a superior quality. Timber Ash, Oak, Elm, Beech Walnut, Sugar-tree &c. under-brush Spice wood & cane all killed with the

severe frosts last winter. This land has the appearance of being sometimes overflowed. The post stands opposite an Island.

~~Subdivisions of 1/2 mile blocks.~~

South Between Sect. No. 2 & 3

- 24.50 a Swamp 100 lbs. wide covered with elegant rose bushes, from 5 to 8 feet high
- 26.00 a Swamp 100 lbs. wide. a strip of dry ground between these swamps. they are excellent meadow land.
- 40.00 a post on the bank of the Ohio, with one notch on each side from which a sycamore 16 ins. dia. bears N 63° E 2 lbs. & another sycamore 9 ins. dia. bears N 45° W 5 1/2 lbs. - From the post the land rich & level, with abundance of Beech timber. Marked & numbered the trees by the plan.

East Between Sect. No. 7 & 18

- 18.24 a Blue Ash 8 ins. dia.
- 44.35 West bank of Plum-b-lick creek 285 lbs. run N 60° E
- 48.82 1/2 Bank of Ohio to a Water willow 5 ins. dia. marked with two notches on East side - from which a sycamore 8 ins. dia. bears N 9° W 28 lbs. & a Water willow 6 ins. dia. bears S 53° W 26 lbs. from the corner to the River - the land exceedingly rich 1st rate; in this fraction there is an improvement - good cabin &c. Marked the trees by the Plan.

South Between Sect. No. 4 & 5.

- 7.00 From the post a stream has continued for this distance bears S 15° W has but little water
- 33.20 a Sugar tree 8 ins. dia. on West side of a hill
- 53.13 a Blue Ash 40 " " in the line, North of a hill.
- 74.00 Top of a great precipice —

S. A. R. I. W. 1st Mer.

78.25 a small Spring rises 25 lbs. West of the line
 80.00 a post, on East side on an exceedingly rough
 steep hill corner of Sect. No. 4. 5. 8 & 9, from which
 an Ash 8 ins. dia. bears S 60° E 3 lbs. & another Ash
 18 ins. dia. bears N 81. 30' W 23 lbs. dist.
 This mile 1st rate land. hilly & broken, much
 under-brush, generally spruce.

South. Between Sect. No. 8 & 9
 14.15 a post on the bank of the Ohio between Sect.
 No. 8 & 9 from which an Ash 26 ins. dia. bears
 S. 22 lbs. & Honey Locust 13 ins. dia. bears S 58. W
 16 lbs. dist. From the last post one continued descent
 to the river - rough & unfit for cultivation, on the
 surface lies a large quantity of extra building stones.
 Marked & numbered the trees by the plan.
 Surveyed by D. S.

2 mile Blocks
 Subdivisions of S. A. R. I. W. of Mer.
 Having no permanent post to run to
 South. proceeded to run & blaze the line South between
 Sect. No. 142. S. A. R. I. W. West
 10.60 a Swamp 100 lbs. wide - course East
 18.15 The end of a large Swamp lies West
 54.81 The Ohio River - Level Beech land - set a post
 where a Sycamore 24 ins. dia. bears N 23 E 45 lbs.
 & a Sycamore 16 ins. dia. bears N 46 W 96 lbs.
 Marked the trees by the plan.

Having no fixed post to run to proceeded
 South. to run & blaze the line between Sect. No. 3 & 4
 23.77 Plum - lick creek 50 lbs. wide course S. W.
 28.95 a Water course 4 " " " West
 41.16 To a Maple corner-tree, down the bank of
 the Ohio River Marked the trees by the plan
 Timber Beech Ash Walnut Sugar & Maple

Land 2^d rate

Having no permanent post to run to proceeded East to run & blaze the line between Sect. No. 489. 14.00 The Ohio River - Land descending the River cliffs - set post where a big camom 6 ins. dia. bears N 28 $\frac{1}{2}$ E 3 $\frac{1}{2}$ lbs. & an Elm 5 ins. dia. bears S 64 W 35 lbs. dist. Mk'd. the trees by the plan.

East On Random between Sect. 687 - J. I. R. D. W.
29.00 Plena lick creek 63 lbs. wide course S. W.
31.15 Same 60 " " " N 75 W
38.29 Same 50 " " " South
40.00 Set temp. $\frac{1}{4}$ sec. post
49.02 a Pond 80 lbs. wide course South
80.00 Set temp. centre post - Land exceedingly broken with ridges 2^d rate. Timber W. Oak, Ash, Elm, Sugar & Hickory

East Continued between Sect. No. 548
27.45 Little Indian creek 40 lbs. wide course N 10 W
40.00 Set temp. $\frac{1}{4}$ sec. post
42.13 a Brook 12 lbs. wide course N. W.
78.80 Fell 9 lbs. North of the post corner of Sections No. 4. 5. 8 & 9 - Land hilly exceedingly covered with rocks - Soil 2^d rate - Timber Lymn, Elm, W. Oak, Ash, Sugar, & Beech, Spruce &c. Marked &c

Corrected the line West between Sect. 548 & set temp. $\frac{1}{4}$ sec. post at average distance on true line

Corrected the line West between Sect. No. 687 & set temp. $\frac{1}{4}$ sec. post at average distance on true line

S. A. R. L. W. 1st Dec.

Having no fixed post to run to proceeded to
 South run & blazed the line between Sect. 5 & 6 T. 1. R. 2
 28.90 Water course 6 lbs. wide, course S. E
 40.00 Set temp. $\frac{1}{4}$ sec. post
 40.65 Water course 6 lbs. wide, course S. W
 79.10 Set 173 lbs. West of Temp. centre post, moved
 it to the centre corner of Sect. No. 5 & 6 T. 1. R. 2, where
 a Beech 3 ins. dia. is the corner tree & a Lymn
 22 ins. dia. bears S 26 W 18 lbs. & a Beech 5
 ins. dia. bears N 27 E 31 $\frac{1}{2}$ lbs. Marked the trees
 by the plan — Timber Ash, Beech, Sugar,
 Elm, Walnut, Buckeye Gum Hackberry &c &c.

Then traveled East between Sect. No. 5 & 6 &
 moved the $\frac{1}{4}$ sec. post to average distance where
 a Hickory 19 ins. dia. bears N 64 $\frac{1}{2}$ E 19 lbs. dist.
 & a Red Elm 16 ins. dia. bears S 41 W 21 lbs. dist.

Then traveled West between Sect. No. 6 & 7 &
 moved $\frac{1}{4}$ sec. post to the average distance
 where a Hickory 5 ins. dia. bears N 32 W 16 lbs. &
 a Sycamore 40 " " " S 78 E 18 "

Then traveled North between Sect. No. 5 & 6 &
 moved $\frac{1}{4}$ sec. post to average distance where a Sugar
 6 ins. dia. bears N 45 W 19 lbs. distant & a Blue
 - ash 13 ins. dia. bears S 52 E 28 lbs. dist.

South Continued the line from centre post between
 Sect. No. 7 & 8 — S. A. R. L. W.

2.20 a Water course 2 lbs. wide, course S. E
 39.60 The Ohio River. — set a post where a Sycamore
 13 ins. dia. bears N 32 W 31 lbs. dist. & a Do.
 4 $\frac{1}{2}$ " " " N 84 E 19 " "

Land broken 2^d rate Timber Beech Ash
 &c — Marked the trees by the plan

Meanders of the Ohio in G. A. R. D. W. of Mer.
commencing at a post cor. of Sec. 13. Town 2
Range 3 & Sec. 18 Town 1 Range 2 West - thence

N 57 E	12.29	
N 61 E	6.53	
N 59 E	34.91, 32.79	^{C. D} The N. bank of Plumbe lick 131 lks. wide steep muddy banks, an improvement on lower side
N 64 E	2.18	a Water Willow corner of Sec. 7 & 18 G. A. R. D
N 50.30 E	4.91	
N 58 E	6.13	
N 50 E	4.28 $\frac{1}{2}$	
N 52.30 E	6.00	
N 63 E	4.41	
N 57 E	3.28	
N 59 E	42.52, 11.50	Little Indian creek enters the River 306 ¹⁰⁰ lks wide steep muddy banks, an improvement on upper side 39.50. On Kentucky side a small stream enters N 70 W
N 57 E	8.81	
N 70 E	7.15	
N 53 E	11.2	The beginning of a stony bare beach, from the mouth of Plumbe lick, the land level and rich
N 47 E	35.97	
N 94.25 E	2.52	to one post between Sec. 8 & 9 G. A. R. D West
N 58 E	1.79	
N 43 E	8.88	
N 38 E	21.96	
N 44.45 E	14.82	
N 46.30 E	9.48	the end of a stony bank mentioned above
N 54 E	6.87	
N 59.30 E	5.27	an Improvement
N 63 E	10.57	
N 67.30 E	10.00	the mouth of Log lick cr. 125 lks. wide at 9 lks.
N 78 E	6.86	
N 76 E	28.88	
N 82 E	12.63	
N 89 E	42.28	

T. 1 R. 2 W. 1st Mer.

N 83.30 E 1.87 To the post between Sec. 2 & 3 T. 1 R. 2 W.

S 86 E 11.45

East 16.37

N 85 E 19.47

S 79 E 11.81

S 81 E 11.17

S 86 E 22.44 an Improvement

N 86 E 13.97

N 81 E 19.65, 4.15 an Improvement

N 71 E 8.50

N 69 E 11.35

N 63 E 5.00

N 59 E 4.39 an Improvement

N 62 E 9.32 The post between Sec. 1 Town 1 Range
2 & Sec. 6 Town 1 Range 1 West of
the Meridian May 2^d 1799Surveyed by
Benjamin Chambers
A. D. 1799

I certify that the foregoing Transcript of
the Field notes of Township No. 1 Range No. 2
West of the 1st Mer. has been compared with the
original in this office & found to be correct.

Surveyor General's Office
Cincinnati, Feb. 18th 1841

Wm. H. Rains
Wm. H. Rains